

OPEN FRAME MOTORS (Domestic Style)

STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	STACK	ROTATION	SHAFT	PRICE \$ excl. GST
F3156A	JRF03CW	Tesonic Domestic F/Free	1.5	0.11	3/8"	Reversible	1/8"	39.00
F3106	J03RF03T DR201	Fasco Domestic F/Free	1.5	0.11	3/8"	Reversible	1/8"	61.00
F3104	J03RF03T DR203	J03RF03T Motor Plus Full Bracket	1.5	0.11	3/8"	Reversible	1/8"	65.00
F3510	J236-062-6308 SM672	Includes 140mm & 100mm Fan Blades + Hardware	4.0	0.32	5/8"	Reversible	3/16"	63.00



OPEN FRAME MOTORS 240V

STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	STACK	ROTATION	SHAFT	PRICE \$ excl. GST
F3100	J06BM15T	Muller CSN, CSI, Inc. Plug	4.0	0.34	3/4"	Reversible	3/16"	81.00
F3093	J04RF01T	Kirby, Repco Cabinet Coils	4.5	0.30	1/2"	ACW	3/16"	68.00
F3095	J06BM19T	General Purpose	6.0	0.30	3/4"	Reversible	3/16"	68.00
F3093A	J05RF10T	Includes Muller Bracket 5-MU206	6.5	0.27	5/8"	ACW	3/16"	94.00
F3077A	J06KR10T	550mm lead, Straight Shaft	6.5	0.30	3/4"	Reversible	3/16"	82.00
F3097	J06RF17T	Front Mount, Long Shaft	6.0	0.27	3/4"	Reversible	3/16"	74.00
F3103	J09BM05T	Replaces 46C019-02A	7.0	0.25	1 1/8"	ACW	1/4"	97.00
F3102	J09OR05ST	Threaded Shaft Suits Orford Cabinets	12	0.45	1 1/8"	ACW	Threaded Shaft	101.00
F3105	J12BM07T	Extra Heavy Duty	10	0.43	1 1/2"	Reversible	1/4"	110.00



OPEN FRAME MOTORS (Barrel Fan Replacement)

STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	STACK	ROTATION	SHAFT	PRICE \$ excl. GST
F3048	J12FB99	Double Shaft 2 Speed	10	0.44	1 1/2"	Double Shaft	1/4" 100mm	184.00



CASE MOTOR

STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	VOLTS	ROTATION	SHAFT	PRICE \$ excl. GST
F3091	5 - D564	Water Resistant Case Fan Motor	9	0.33	240	ACW	Hub Drive	108.00
F3137	LT0009	Low Temp Case Motor	9	0.30	240	ACW	Hub Drive	76.00



EBM Q SQUARE AND HIGH EFFICIENCY MOTORS

STOCK NO.	PRODUCT NUMBER	REPLACES	MAX BLADE & PITCH	WATTS	AMPS	ROTATION	SHAFT	PRICE \$ excl. GST
F3132A	M4Q045-CA01-38	50D520-82A	230mm x 22°	7	0.19	ACW	Hub Drive	77.00
F3133A	M4Q045-CA01-72	Low Temp Case	230mm x 22°	7	0.19	ACW		156.00
F3133	M4Q045-CA03-38	50D501-81A	254mm x 22°	10	0.25	ACW		88.00
F3136	M4Q045-CA03-75	1500mm Lead	254mm x 22°	10	0.25	ACW		105.00
F3135	M4Q045-CF01-38	50D551-02A	254mm x 28°	16	0.42	ACW		95.00
F3136A	M4Q045-DA05-38	50D551-02A	300mm x 28°	23	0.62	ACW		106.00
F3138	M4Q045-EA01-38	50D502-75A	300mm x 28°	25	0.62	ACW		130.00
F3140	M4Q045-EF01-38	50D543-03A	300mm x 34°	34	0.75	ACW		135.00
-	iQ3612	UP TO 23W	254mm x 28°	VARIABLE		ACW		151.00
-	iQ3620	UP TO 32W	300mm x 22°	VARIABLE		ACW		198.00
F4162	71884-2-4053	U type Fan Motor bracket Suits EBM Q Series - 80mm High						5.00



DOUBLE SHAFT - BI-DIRECTIONAL

STOCK NO.	PRODUCT NUMBER	WATTS	AMPS	VOLTS	ROTATION	MAX. FAN BLADE	SHAFT	PRICE \$ excl. GST
F3050	50D501-80AT	10	0.30	240	Bi-Directional	225mm 40°	5/16"	99.90
F3053	50D502-80AT	20	0.50	240	Bi-Directional	250mm 40°	5/16"	105.00
F3055	50D503-80AT	40	0.75	240	Bi-Directional	275mm 40°	5/16"	115.00
F3058	50D505-80AT	60	1.15	240	Bi-Directional	350mm 40°	5/16"	210.00


THREADED SHAFT / HUB MOUNT

STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	VOLTS	ROTATION	SHAFT	PRICE \$ excl. GST
F3063	50D520-82AT	Replaces 30D520-79A	8	0.18	240	ACW	Hub Drive	159.00
F3060	50D501-81AT	Replaces 30D501-70A	13	0.38	240	ACW		156.00
F3066	50D552-01AT	BKM90150 c/w Braided cord	10	0.32	240	ACW		174.00
F3065	50D551-02AT	BKM90170 c/w Spade Connectors	20	0.41	240	ACW		187.00
F3071	50D543-03AT	Heavy Duty	35	0.55	240	ACW		192.00


415 VOLT (2 PHASE)

STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	VOLTS	ROTATION	SHAFT	PRICE \$ excl. GST
F3068	50D509-22AT	Kirby Style	40	0.45	415	ACW	5/16"	198.00
F3067	50D509-11AT	Heavy Duty	40	0.45	415	ACW	Hub Drive	201.00


AGITATOR MOTORS

STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	VOLTS	ROTATION	SHAFT	PRICE \$ excl. GST
F3073	50D521-76AT	140mm long shaft	15	0.30	240	ACW	Threaded Shaft	280.00
F3070	50D521-77AT	190mm long shaft	15	0.30	240	ACW	Threaded Shaft	302.00


SPECIAL PURPOSE

STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	VOLTS	ROTATION	SHAFT	PRICE \$ excl. GST
F3090	50D551-01AT	Replaces 2868-509-039	14	0.48	240	ACW	5/16"	174.00
F3074	50D505-71C	BP146C (MULLER) 4 Stud Mount	60	1.0	240	CW	5/16"	215.00
F3056	50D543-04AT	105mm Long shaft Plus Cooling fan	35	0.63	240	ACW	5/16"	303.00


BRACKETS & BEARINGS

STOCK NO.	PRODUCT NUMBER	TYPE	MOUNTS	PRICE \$ excl. GST
F3501	MUA134-1	50D Series Spider Bracket Suits 254mm Fan Blade	220 x 220 Footprint	95.00
F3506	MUA133-1	50D Series Spider Bracket Suits 300mm Fan Blade	285 x 400 Footprint	108.00
F4162	71884-2-4053	U type Fan Motor bracket Suits EBM Q Series	80mm high	5.00
F3075	391-074-01	Replacement Bearing Kit	Suits 30D, FM OR 50D SERIES	27.00



WEATHERPROOF - S SERIES (With Rear Junction Box)

STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	VOLTS	RUN CAP	ROTATION	SHAFT	PRICE \$ excl. GST
F3098	808557KTB-A11	Replaces 61S059-80 3 Speed	150	1.2	240	6	Reversible	1/2" x 62mm	661.00
F3215	8061S059-04	Replaces 61S059-04 3 Speed	150	0.9	240	6	CW	1/2" x 62mm	656.00
F3079	808554LTB-A80	Replaces 61S072-80 1400 Rpm 1 Speed	180	1.25	240	4	Reversible	1/2" x 70mm	612.00
F3078	8061S137-80	1 Speed- S series	250	2.3	240	4	Reversible	1/2" x 70mm	649.00


WEATHERPROOF - S SERIES (Condenser Fan)

STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	VOLTS	RUN CAP	ROTATION	SHAFT	PRICE \$ excl. GST
F3072	8061S009-06	1 Speed 915 Rpm	250	2.5	240	6	CW	1/2" X 80mm	699.00
F3086	8061S118-02	3 Speed Band Mount	300	2.7	240	6	CW	1/2" x 62mm	754.00
F3040	808557NTA-A11	3 Speed Band Mount	370	2.4	240	12	CW	1/2" x 100mm	794.00
F3206	8061S148-01	3 Speed Band Mount Suits Alcair (note vented rear)	410	3.2	240	15	CW	1/2" x 62mm	765.00



■ S Series and 808 motors Standard band mount unless specified see below for brackets

BRACKETS - S SERIES AND 808 MOTORS

STOCK NO.	PRODUCT NUMBER	TYPE	Inside Diameter mm	Outside Diameter Inc.Studs	MOUNTS	PRICE \$ excl. GST
F3500	391-127-A	4 Bolt Band Mounting Bracket Suits S & 808 series	140	160	4 x 3/8" Studs welded	99.00
F3503	391-127-V	3 or 4 Bolt Band Mounting Bracket Suits S & 808 series	140	176	4 x 3/8" Studs Adjustable	85.00
F3502	391-127-U	3 or 4 Bolt Band Mounting Bracket Suits S & 808 series	140	189	4 x 3/8" Studs Adjustable	85.00
F3505	5-8725-6021	Plastic "Slinger" Cover Directs Water Runoff Away From Motor Suits S & 808 Series motors			Suits 1/2" Shaft	35.88
F3505A	5-8860-6000				Suits 5/8" Shaft	48.69


SCROLL FAN - SINGLE SHAFT (Evaporator Fan)

STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	VOLTS	RUN CAP	ROTATION	SHAFT	PRICE \$ excl. GST
F3085A	8061S109-03	3 Speed Resilient Mount	315	2.5	240	4	ACW	1/2" x 70mm	642.00
F3204	8061S082-03	3 Speed Resilient Mount	600	4.4	240	15	CW	1/2" x 70mm	690.00
F3209	8061S128-02	3 Speed Resilient Mount	750	4.9	240	20	CW	1/2" x 70mm	725.00


SCROLL FAN - DOUBLE SHAFT (Evaporator Fan)

STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	VOLTS	RUN CAP	ROTATION	SHAFT	PRICE \$ excl. GST
F3085	8061S109-01	3 Speed Multi Purpose RAC Usage	425	3.35	240	2-10	Reversible	1/2" x 200mm	607.00
F3204E	8061S082-80	3 Speed Resilient Mount	600	4.00	240	15	Reversible	1/2" x 235mm	771.00
F3211	8061S128-80	3 Speed Resilient Mount	750	4.90	240	20	Reversible	1/2" x 180mm	888.00
F3237	809455XVB-B13	3 Speed Resilient Mount	1500	8.4	240	30	Reversible	1/2" x 235mm	1,063.00



LUG MOUNT MOTORS

STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	VOLTS	RUN CAP	ROTATION	SHAFT	PRICE \$ excl. GST
F3082	808557NVB-B11	2 Speed suit Email A/C 4 x Lug Mount	450	3.0	240	20	CW	3/4" x 75mm	789.00
F3083	8061S107-02	Suits Muller Cond. Evaps 4 x Lug Mount	180	0.75	415	-	Reversible	1/2" x 70mm	620.00



EVAPORATIVE COOLER MOTORS (Drip Proof)

STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	VOLTS	RUN CAP	ROTATION	SHAFT	PRICE \$ excl. GST
F3240	80855BPVA-A11	Variable Speed Resilient Mount Suits Celair	600	4.2	240	15	CW	1/2" x 100mm	913.00
F3202	809455QVBB13S	3 Speed Resilient mount	750	4.6	240	20	ACW	5/8" x 50mm	780.00
F3224	809455SVA-B12	Double Shaft 3 Speed Resilient Mount	1100	6.3	240	30	Double	1/2" x 200mm	1,088.00



EVAPORATIVE COOLER PUMPS

STOCK NO.	PRODUCT NUMBER	Litres / Minute at 1 mtr head	General Application	WATTS	VOLTS	PRICE \$ excl. GST
F3142	JRM28	21.5	Cooler up to 2800l/s	28	240	140.00
F3142A	JRM38	27.5	Cooler up to 4200l/s	38	240	120.00
F3143	JRM50	35.5	Cooler up to 5400l/s	50	240	155.00
	EBM40	35	EBM Spinning top style	38	240	P.O.A



EBM PAPST - ROUND PLATE FAN ASSEMBLY

STOCK NO.	PRODUCT NUMBER	DIAMETER (mm)	DESCRIPTION	WATTS	AMPS	PH	RUN CAP	PRICE \$ excl. GST
F3117A	W2E250-CL06-01	250	Standard Airflow (V)	115	0.51	1	4	548.00
F3117	W2E250-CE65-02	250	Reverse Airflow (A)	115	0.51	1	4	663.00



COMPACT AXIAL FAN ASSEMBLY

STOCK NO.	PRODUCT NUMBER	DESCRIPTION	CASE SIZE	WATTS	AMPS	PRICE \$ excl. GST
F3163	S088-2-HWB	Computer / Electrical Panel Fan	80 X 80 X 38 mm	14	0.07	60.00
F3216	S128-2-HTB	Computer / Electrical Panel Fan	120 X 120 X 38 mm	17	0.14	70.00
F3217	C180-1	Lead To Suit S088 / S128 Motor				6.00




EBM PAPST - SPECIAL APPLICATION

STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	VOLTS	RUN CAP	BLADE DIAMETER	PRICE \$ excl. GST
F3228	R2S133AE17-05	Backward Curved Evaporator Fan Motor	36	0.25	240	-	133mm	255.00
F3196	R2E180-CB28-09		60	0.28	240	1.5	180mm	270.00
F3198	R2E190-A026-37		58	0.26	240	2.0	190mm	216.00
F3199	R2E220-AA52-72		85	0.38	240	3.0	220mm	265.00




EBM PAPST - FAN MOTOR ASSEMBLY

STOCK NO.	PRODUCT NUMBER	DIA (mm)	DESCRIPTION	WATTS	AMPS	PH	RUN CAP	PRICE \$ excl. GST
F3108	S4E300AP26-38	300	4 Point Grille, 4mm Mount Hole	100	0.32	1	2	349.00
F3121	S4E300AP26-44	300	4 Point Grille, 8mm Mount Hole	100	0.32	1	2	349.00
F3110	S4E350AP06-48	350	Standard 4 Point Grille	130	0.58	1	4	486.00
F3110B	S4E400AP02-44	400		160	0.71	1	6	594.00
F3109	S4E450AU03-37	450		350	1.55	1	8	840.00
F3049	S4E300-AB03-43	300	4 Point Grill Reverse Airflow (A)	75	0.32	1	1.5	388.00



REALCOLD MOTOR - FAN BLADE & GRILL ASSEMBLY

STOCK NO.	PRODUCT NUMBER	DIA (mm)	DESCRIPTION	POLE	WATTS	AMPS	PH	PRICE \$ excl. GST
F3846	YZF5-13/4Q	170	Hub Mount Motor Complete with Blade and Grill	4	25	0.16	1	80.00
F3848	YZF5-13/4Q	200		4	38	0.25	1	90.00
F3850	YZF16-25/4Q	250		4	60	0.37	1	105.00
F3852	YZF34-45/4Q	300		4	80	0.50	1	120.00



* When ordering the above Fan Assembly's F3846 to F3852 fan motor, blade & guard come disassembled.

REALCOLD - FAN MOTOR ASSEMBLY

STOCK NO.	PRODUCT NUMBER	DIA (mm)	DESCRIPTION	WATTS	AMPS	PH	RUN CAP	PRICE \$ excl. GST
F3852A	YWF4E-200	200	4 Pole External Rotor Motor Complete with 4 Point Mounting basket	40	0.21	1	1.5	229.00
F3852B	YWF4E-250	250		50	0.23	1	2.0	249.00
F3853	YWF4E-300	300		85	0.42	1	3.0	256.00
F3856	YWF4E-350	350		140	0.65	1	4.0	336.00
F3859	YWF4E-400	400		180	0.82	1	6.0	352.00
F3858	YWF4D-400	400		180	0.47	3	-	352.00
F3860	YWF4E-450	450		250	1.20	1	8.0	550.00
F3864	YWF4D-450	450		250	0.60	3	-	550.00
F3865	YWF4E-500	500		420	1.95	1	10	575.00
F3866	YWF4D-500	500		420	0.90	3	-	575.00
F3870	YWF4D-550	550		600	1.20	3	-	694.00
F3855	YWF6E-350	350		6 Pole External Rotor Motor Complete with 4 Point Mounting basket	80	0.40	1	3.0
F3859A	YWF6E-400	400	110		0.50	1	4.0	360.00
F3862	YWF6E-450	450	150		0.75	1	6.0	550.00
F3868	YWF6D-500	500	230		0.55	3	-	575.00
F3871	YWF6D-550	550	330		0.90	3	-	694.00
F3872	YWF4D-630	630	400		1.30	3	-	798.00



All above motors are induced draught (M) type with the exception of F3049 which is (A) type forced draught

ZIEHL-ABEGG FAN MOTOR ASSEMBLY - FB STYLE


STOCK NO.	PRODUCT NUMBER	DIA (mm)	BLADE TYPE	M ³ hr	RPM	WATTS	AMPS	PH	RUN CAP	PRICE \$ excl. GST
F3112	FB045-4EK.4F.6P	450	4 x Sheet Metal	5900	1325	480	2.30	1	10	1,100.00
F3126	FB050-4EK.4F.6L	500	4 x Sheet Metal	7100	1240	570	2.70	1	12	1,195.00
F3120	FB050-VDK.4F.6L	500	4 x Sheet Metal	7100	1370	580	1.15	3	-	1,120.00
F3189	FB056-6EK.4I.6P	560	4 x Sheet Metal	8300	930	470	2.50	1	12	1,183.00
F3130D	FB063-6EK.4I.V4P	630	4 x Sheet Metal	11200	830	670	3.30	1	14	1,277.00
F3130C	FB063-SDK.4I.V4P	630	4 x Sheet Metal	12500	1300	1100	2.20	3	-	1,223.00



FB Style

ZIEHL-ABEGG FAN MOTOR ASSEMBLY - FE STYLE

STOCK NO.	PRODUCT NUMBER	DIA (mm)	BLADE TYPE	M ³ hr	RPM	WATTS	AMPS	PH	RUN CAP	PRICE \$ excl. GST
F3119	FE050-4EK.4I.6P	500	7 x Die Cast Sickle	9050	1180	640	2.80	1	10	1,155.00
F3125	FE050-VDK.4I.6P	500	7 x Die Cast Sickle	8300	1330	650	1.15	3	-	1,518.00
F3130E	FE071-SDK.6F.6	710	7 x Die Cast Sickle	14700	900	880	1.65	3	-	2,390.00



FE Style

ZIEHL-ABEGG FAN MOTOR ASSEMBLY - SQUARE PLATE

STOCK NO.	PRODUCT NUMBER	DIA mm	PLATE SIZE	M ³ hr	RPM	WATTS	AMPS	PH	PRICE \$ excl. GST
F3118	FC050-VDQ.4F.5	500	600 x 600 (Grey)	8300	1400	550	1.15	3	1,470.00
F3125	FE050-VDQ.4I.5	500	600 x 600 (Grey)	9700	1340	780	1.35	3	1,530.00
F3129A	FE063-VDQ.6N.5	630	805 x 805 (Grey)	20200	1310	2600	4.80	3	2,778.00
F3130	FC063-VDQ.6K.5	630	805 x 805 (Low Temp)	18200	1310	1900	3.45	3	2,787.00
F3151	FE080-SDQ.6N.5	800	970 x 970	25600	880	2000	4.00	3	3,245.00



ZIEHL-ABEGG - MOTOR & BLADE LESS BASKET

STOCK NO.	PRODUCT NUMBER	DIA (mm)	BLADE TYPE	M ³ hr	RPM	WATTS	AMPS	PH	RUN CAP	PRICE \$ excl. GST
F3147	FE050-VDA.4I.2	500	7 x Die Cast Sickle	9700	1340	780	1.35	3	-	1,131.00
F3128	FC063-VDA.6K.2	630	7 x Die Cast	18200	1310	1900	3.45	3	-	1,750.00



FC Style

All above motors are **(M)** type induced draught

FASCO/TORIN FAN DECKS



Torin

- Motor: 240V AC, Single Phase, 4 Pole, 3 Speed
- Motor Watt Range: 130W to 1100W
- All motors have thermal overload
- Wheel: Polypropylene
- Housing: Galvanised Steel

SINGLE FAN DECKS

STOCK NO.	PRODUCT NUMBER	WATTS	WHEEL (mm) DIA X WIDTH	DIMENSIONS (MM)				PRICE \$ excl. GST
				A	B	C	D	
F3558	DDG203-203-481	180	203 x 203	386	248	306	319	445.00
F3557	DDG203-203-060	315	203 x 203	386	248	306	319	445.00
F3555	DDG241-181-200	425	241 x 181	305	234	380	392	492.00
F3559	DDG241T-181-200	425	241 x 181	305	234	325	327	477.00
F3219	DDC241-241-200	425	241 x 241	345	300	380	392	508.00
F3218	DDC241-241-300	600	241 x 241	365	300	380	392	540.00
F3220	DDG270-270-300	600	270 x 270	400	334	420	442	558.00
F3560	DDC270-270-360	750	270 x 270	400	334	420	442	588.00







TWIN FAN DECKS

STOCK NO.	PRODUCT NUMBER	WATTS	WHEEL (mm) DIA X WIDTH	DIMENSIONS (MM)				PRICE \$ excl. GST
				A	B	C	D	
F3561	DXA080-102-002		80 x 102	448	94	121	127	286.00
F3562	DXA158-203-561	130	158 x 203	800	255	262	270	558.00
F3566	DXG203-203-401	315	203 x 203	813	308	306	320	620.00
F3567	DXG203-203-441	600	203 x 203	813	308	306	320	699.00
F3570	DXG241T-181-441	600	241 x 181	813	308	325	327	684.00
F3571	DXG241T-181-521	750	241 x 181	810	300	380	327	762.00
F3569	DXG241-181-521	750	241 x 181	810	300	380	392	795.00
F3563	DXC241-241-521	750	241 x 241	900	300	380	392	840.00
F3564	DXC241-241-541	1100	241 x 241	1040	305	380	392	1,575.00





Single Fan Decks

Twin Fan Decks




BARREL FAN ASSEMBLIES

STOCK NO.	PRODUCT NUMBER	SPEED	WHEEL (mm) DIA X WIDTH	DIMENSIONS (MM)			PRICE \$ excl. GST
				A	B	C	
F4100	FTR180-93-02	Single	60	204	55	193	149.00
F4100A	FZR300-93-02			326	55	315	168.00
F4100C	FZR360-93-02			385	55	374	318.00



FAN BLADE SELECTION



- Determine blade diameter and pitch needed
- Determine air direction required - This is facing the blade (regardless of boss position or motor direction)
- Suck (Induced) is the air being drawn towards the motor (V)
- Blow is the air being blown away from the motor (A)
- Boss position is UNDER fan blade unless specially ordered

PLASTIC PUSH ON TYPE - MULTI PURPOSE

STOCK NO.	PRODUCT NUMBER	DIAMETER mm (Inches)	BLADES	BORE	AIRFLOW (FACING BLADE)	PRICE \$ excl. GST
F3993	5-R5-56-5AC187	125 (5)	5	3/16"	Blow on ACW Suck on CW Motor	40.00
F3994	5-S7-3-CW0187	170 (7)	3	3/16"	Blow on CW Suck on ACW Motor	42.00
F3995	5-R10530CWD312	250 (10)	5	5/16"		45.00
F3995A	5-R12-3CWD312	300 (12)	5	5/16"		50.00




HUB MOUNT - 4 PIN ONE PIECE ALUMINIUM

STOCK NO.	DIAMETER mm	PITCH	BLADES	BORE	AIRFLOW (FACING BLADE)	PRICE \$ excl. GST
F4150	154	34°	5	Hub Mount	Blow on Anti Clockwise Motor (A)	8.00
F4151	172	28°				13.00
F4152	200	34°				14.00
F4153	230	34°				16.00
F4154	254	28°				19.00
F4155	300	34°				24.00
F4156	154	34°	5	Hub Mount	Suck on Anti Clockwise Motor (V)	10.00
F4157	172	34°				12.00
F4149	200	28°				14.00
F4158	200	34°				15.00
F4159	230	28°				18.00
F4160	254	34°				21.00
F4161	300	34°			25.00	




TYPE U LIGHT DUTY - 1 PIECE ALUMINIUM

STOCK NO.	PRODUCT NUMBER	Diameter mm (Inches)	BLADES	BORE	AIRFLOW (FACING BLADE)	PRICE \$ excl. GST
F4035	PU5178A30R05AA	178 (7)	5	51/6"	Blow on Clockwise Motor	40.00
F4036	PU5203A30R05AA	203 (8)				42.00
F4048	PU5203N30R05AA				Suck on Anti Clockwise Motor	42.00
F4037	PU5203N40R05AA	42.00				
F4038	PU5229N30R05AA	229 (9)			44.00	
F4039	PU5254A30R05AA	254 (10)			Blow on Clockwise Motor	48.00
F3999	PU5254N30R05AA		Suck on Anti Clockwise Motor	48.00		



TYPE "S" STANDARD DUTY

STOCK NO.	PRODUCT NUMBER	DIAMETER mm (Inches)	BLADES	BORE	AIRFLOW (FACING BLADE)	PRICE \$ excl. GST	
F4000A	PS3178N25L05AA	178 (7)	3	51/6"	Suck on Clockwise Motor	77.00	
F4000B	PS3178N30R05AA				Suck on Anti Clockwise Motor	77.00	
F4051	PS3203N25L05AA	203 (8)	3		Suck on Clockwise Motor	78.00	
F4052	PS3203N25R05AA				Suck on Anti Clockwise Motor	78.00	
F4053	PS3203N30L05AA				Suck on Clockwise Motor	78.00	
F4054	PS3203N30R05AA				Suck on Anti Clockwise Motor	78.00	
F4055	PS3229N30L05AA.	229 (9)	3		Suck on Clockwise Motor	86.00	
F4056	PS3229N30R05AA				Suck on Anti Clockwise Motor	86.00	
F4059	PS3254N25R05AA	254 (10)	3		Suck on Anti Clockwise Motor	88.00	
F4060	PS3254N30L05AA				Suck on Clockwise Motor	88.00	
F4012A	PS3254A30R05AA				Blow on Clockwise Motor	88.00	
F4061	PS4254A30L05AA				Blow on Anti Clockwise Motor	88.00	
F4062	PS4254A30R05AA		4		Blow on Clockwise Motor	88.00	
F4063	PS4254N30R05AA				Suck on Anti Clockwise Motor	88.00	
F4064	PS4254N40L05AA				Suck on Clockwise Motor	88.00	
F4067	PS3305A25R05AA				Blow on Clockwise Motor	90.00	
F4068	PS3305N25R05AA		305 (12)		3	Suck on Anti Clockwise Motor	90.00
F4069	PS3305N30L05AA					Suck on Clockwise Motor	90.00
F4019	PS3305N30R05AA	Suck on Anti Clockwise Motor		90.00			


TYPE "M" MEDIUM DUTY

STOCK NO.	PRODUCT NUMBER	DIAMETER mm (Inches)	BLADES	BORE	AIRFLOW (FACING BLADE)	PRICE \$ excl. GST
F4025	PM3356A25L05AA	356 (14)	3	1/2"	Blow on Anti Clockwise Motor	100.00
F4024A	PM3356N25R05AA				Suck on Anti Clockwise Motor	100.00
F4029A	PM3406A25R08AA	406 (16)	3	1/2"	Blow on Clockwise Motor	105.00
F4030	PM3406N25R08AA				Suck on Anti Clockwise Motor	105.00
F4034A	PM3406N25R10AA			5/8"	Suck on Anti Clockwise Motor	105.00


TYPE "H" HEAVY DUTY

STOCK NO.	PRODUCT NUMBER	DIAMETER mm (Inches)	BLADES	BORE	AIRFLOW (FACING BLADE)	PRICE \$ excl. GST
F4073	PH3457A25R08AA	457 (18)	3	1/2"	Blow on Clockwise Motor	160.00
F4074	PH3457N30R08AA				Suck on Anti Clockwise Motor	160.00

MULTI-WING FAN BLADES



Features

Multiwing blades and Bosses are designed to replace a wide range of Condenser and Evaporator fan assemblies. Simply select blade diameter and pitch - select boss diameter - bolt together - Instant fan blade!

The 8D series provides a successful combination of high airflow and high-pressure rates at low speeds and produces low noise levels. The fact that it's made up of a modest number of components makes it highly cost-efficient.


MULTIWIING / MULTIPURPOSE

STOCK NO.	PRODUCT NUMBER	DIAMETER mm	BLADES	PITCH	AIRFLOW (FACING BLADE)	PRICE \$ excl. GST
Blades (set of 2)						
F4108	8DR/450/35	450	4 (set of 2)	35°	Blow On Clockwise Motor	150.50
F4104	8DR/508/30	508		30°		155.00
F4106	8DR/560/40	560		40°		165.00
F4114	8DR/610/30	610		30°		170.00
F4110	8DR/610/40	610		40°		170.00
F4120	8DR/660/35	660		35°		175.00
Boss						
F4107	8D-BOSS-1/2		1/2"	Boss can be mounted on motor side or Blade side	70.00	
F4105	8D-BOSS-5/8		5/8"		70.00	
F4109	8D-BOSS-19		19 mm		78.00	



- The Multiwing 8D series covers diameters from 360mm up to 660mm. The relatively small diameter and the broad, paddle-shaped profile of the fan blades makes the D-series ideal for smaller heat exchanger applications such as oil coolers, air-cooled condensers and dry coolers. With fan blades of glass reinforced polyamide they can be used in low temperature evaporator applications as well.

Design Features



- Injection moulded impeller of engineered thermoplastic materials. The fan blades are moulded in pairs of two.
- Impeller has 2 or 4 fixed pitch, positively set fan blades. The fan blades have a unique broad paddle shaped profile and are available in 4 standard pitch angles of 25°, 30°, 35°, and 40°.
- Only available in a configuration where the fan blades rotate in a clockwise direction when facing the air stream.
- One-piece aluminium-alloy boss, which is available in a range of bore/fixing configurations.